


A

B

C

D

E



SHEET NOTES

WILCO EUGENE
WILTH & WILLOW CREEK
EUGENE, OREGON 97402

WILCO
200 INDUSTRIAL WAY
MT. ANGEL, OR 97362

project number 18-25
date 10/03/22

revisions

1	06/02/23 AGENCY/QC REVIEW
2	07/06/23 TENANT

KEY NOTES

- 24" X 24" LOCKABLE ATTIC ACCESS PANEL
- 3/4" X 24" WIDE CATWALK, FULL LENGTH OF ATTIC
- 5/8" EXTERIOR GRADE SOFFIT BOARD OVER BOTTOM CHORD OF ROOF TRUSSES
- STANDING SEAM METAL ROOFING, FLASHINGS AND TRIM, PER MANUFACTURERS DETAILS AND INSTALLATION GUIDES
- 3" CONTINUOUS SCREENED SOFFIT VENT
- 3/4" MARINE GRADE PLYWOOD ON INSIDE OF LOADING WALLS
- WRAP EXPOSED SIDES OF GLB WITH 5/8" EXT. GRADE GYP. BOARD
- SHEET METAL FLASHING UNDER VERTICAL SIDING
- EXTEND FLASHING UP MASONRY WALL MIN. 4", SEAL BETWEEN FLASHING AND MASONRY
- INSTALL FLASHING UNDER PLYWOOD SHEATHING AND EXTEND MIN 1/2" OVER MASONRY
- CORRUGATED METAL SIDING OVER BUILDING PAPER AND 2X WOOD FRAMING, PER STRUCTURAL
- 4' H X 6" DIA. CONCRETE FILLED STEEL BOLLARD - PAINT SAFETY YELLOW
- CLEARANCE BAR - MOUNT BOTTOM OF BAR AT 10'-0" AFF



SECTIONS

sheet number

A402