


HIGH EAVE EXTENSION INT PURLIN DETAIL

NOTE: USE 1/2"X 2" A325 BOLTS H0603/NUTS H0300 (U.N.O.)


(Y7)



HIGH EAVE EXTENSION DETAIL

BYPASS OR FULL FRAME ENDWALL
NOTE: USE 1/2" x 2" A325 BOLTS H0603/NUTS H0300 (U.N.O.)
** EXTEND MAR01 ANGLE TO EXTENSION STEEL LINE


(Y10)



INT. PURLIN EAVE EXTENSION DETAIL

NOTE: USE (4) 1/2"X 2" A325 BOLTS H0603/NUTS H0300
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS


(Y22)



EAVE STRUT AT EAVE EXTENSION DETAIL

NOTE: USE (4) 1/2"X 2" A325 BOLTS H0603/NUTS H0300
REFERENCE ERECTOR NOTE FOR TYPICAL WASHER REQUIREMENTS

(Y35)




HIGH EAVE EXTENSION DETAIL

GIRT AT INTERMEDIATE FRAMES W/ GUSSET (BYPASS CONDITION)
NOTE: USE 1/2"X 2" A325 BOLTS H0603/NUTS H0300 U.N.O.
SEE GIRT DETAIL FOR BOLT REQUIREMENT • GIRT

(Y37)

03/10/23

 <p>AMERICAN BUILDINGS a NUCOR brand 2260 TEWAWA DRIVE MODESTO, CA 95354 PHONE: (209) 236-0580 FAX: (209) 236-0588</p>	<p>PROJECT NAME WILCO HAY STORAGE - EUGENE EUGENE, OR 97402</p>	<p>CUSTOMER NAME WALEN CONSTRUCTION, LLC TUALATIN, OR 97062</p>	<p>JOB NUMBER N2350014A</p>	<p>DATE 01/25/2023</p>	<p>DATE 01/26/2023</p>
	<p>ISSUE Anchor Bolts for Construction Building Department Review</p>	<p>CHK RHW</p>	<p>CHK RHW</p>	<p>CHK RHW</p>	<p>CHK RHW</p>

Reviewed for Code Compliance - 08/18/2023 3:34:06 PM
Permit Number - 23-01679-01

RECEIVED BY CITY OF EUGENE 16-7-23 16:14:14

REGISTERED PROFESSIONAL ENGINEER
97085PE
MAR 9 2023
WING HONG LO
EXPIRATION DATE: 12-31-2024

16-7-23 16:14:14

This seal pertains only to the materials and work shown on these drawings. The drawings and the metal buildings which they represent are the product of the Metal Building Manufacturer, and the seal of the Metal Building Manufacturer does not serve as or represent the project engineer of record and shall not be construed as such.

SHEET
D3 of 10