


3/4" PLYWOOD FAUX COLUMN, FLOOR SUPPORTED AND SCREWED TO WALL



BUILDING WALL

GC TO PROVIDE 2X12 BLOCKING IN WALL AT AWNING, USE (4) 16d NAILS AT EACH END OF EACH BLOCK

1/4" x 1-1/2" DECORATIVE HEAD LAG BOLT (STAFast BW074OUHD) (4 EACH)

DECORATIVE PLASTIC CHAIN

CORRUGATED METAL

STAINLESS STEEL PAD EYE (PROVIDED)

4X6 #1 AND BETTER APPEARANCE GRADE DOUGLAS FIR BEAM. FASTEN TO WALL WITH SIMPSON SDS25412 STRONG DRIVE 1/4" X 4-1/2" SCREWS, MIN (2) AT EACH AWNING BRACKET

# GARDEN CENTER FACADE

General Notes  
REVISED FOR WIDTH 7.8.20

03/10/23

No.	Revision/Issue	Date

**YAMHILL VALLEY WOODWORKS**  
PO BOX 9  
NEWBERG, OREGON 97132  
TELEPHONE: 503-789-8034

Project Name and Address

EUGENE WILCO  
CLOTHING PAD  
RACEWAY

Project WILCO-PR	Sheet 9
Date 12.3.20	
Scale 1:19.5	