



- A BENCH - OFCI
- B 20" DEEP ADA BENCH - OFCI
- C WALL HOOKS @ 48" AFF
- D WALL MIRROR - OFCI TYP.


A1 ENLARGED PLAN @ DRESSING ROOM
SCALE: 1/4" = 1'-0"



C1 ENLARGED PLAN @ CHECKOUT
SCALE: 3/16" = 1'-0"



E3 ENLARGED PLAN
SCALE: 3/16" = 1'-0"



E5 ENLARGED PLAN
SCALE: 3/16" = 1'-0"

When a refrigerator/freezer is provided, the freezers must have at least 50% of the compartment shelves (including the bottom) a maximum of 54" above the floor, ICC A117.1 section 804.5.6

DRESSING ROOM DOOR SCHEDULE

NO.	ROOM	TYPE	SIZE			DOOR				FRAME		NOTES:
			WIDTH	HEIGHT	THK.	HARDWARE TYPE	MATERIAL	GLASS	FINISH	MATERIAL	FINISH	
117A	ACCESSIBLE DRESSING	12	3'-0"	5'-4"	1 3/4"	A	WOOD	-	VARNISH	WOOD	VARNISH	DOOR FRAME HEIGHT TO BE 82"
117B	DRESSING	12	3'-0"	5'-4"	1 3/4"	A	WOOD	-	VARNISH	WOOD	VARNISH	DOOR FRAME HEIGHT TO BE 82"
117C	STORAGE	9	3'-0"	1'-0"	1 3/4"	A	WOOD	-	VARNISH	WOOD	VARNISH	

1. DOORS 117A, 117B AND 117C TO BE SUPPLIED AND INSTALLED BY MILLWORK CONTRACTOR. GC TO PROVIDE ROUGH OPENING

SHEET NOTES

GENERAL NOTES:

1. INSTALL COMMERCIAL HAIR FILTERS/TRAPS IN DRAIN LINES AT FLOOR SINKS, WASH BASINS, WASHING MACHINE, AND BATHING TUBS, SEE SPLUMBING

KEY NOTES

- 1 BATHING TUB (OFCI)
- 2 BATHING SHOWER (OFCI)
- 3 WORK STATION TO INCLUDE WALL CABINET AND MOVEABLE CART (OFCI)
- 4 SHAMPOO SHELF. MOUNT 5'-0" AFF (OFCI)
- 5 SS SHAMPOO CABINET (OFCI)
- 6 GROOMING TABLES (OFCI)
- 7 PET CRATES (OFCI)
- 8 DRYING TABLE (OFCI)
- 9 CHECK-IN DESK AND GATE (OFCI)
- 10 W/D (OFCI)
- 11a FLOOR DRAIN - SLOPE SLAB 1-1/4" TO F.D.
- 11b FLOOR DRAIN - SLOPE SLAB 3/4" TO F.D.
- 12 REFRIGERATORS (OFCI)
- 13 SINK (CFCI)
- 14 BREAK ROOM CASEWORK (OFCI)
- 15 1/2 HP GARBAGE DISPOSAL (CFCI)
- 16 ADA DOG BATHING TUB (OFCI)
- 17 GC TO CONFIRM CHASE WIDTH WITH TOILET CARRIER REQUIREMENTS
- 18 CENTERLINE OF POWER/DATA IN CASEWORK
- 19 UNDERSLAB HAIR TRAP W/ LID FLUSH W/ CONC.
- 20 'ACCURATE' RESTROOM PARTITIONS, FLOOR BRACES, COLOR: CHARCOAL (TYP)
- 21 STAINLESS STEEL SHELVING - OFCI
- 22 BATHER BOX - OFCI
- 23 DRYERS - OFCI
- 24 GC TO COORDINATE PLUMBING LOCATIONS WITH MILLWORK
- 25 UTILITY SINK
- 26 MOP SINK
- 27 HAWS 1655WCC AXION MSR BARRIER FREE RECESSED EYEWASH

WILCO EUGENE
WILTH & WILLOW CREEK
EUGENE, OREGON 97402

BIG MOG, LLC
PO BOX 1800
CORVALLIS, OREGON 97339

project number 18-25
date 10/03/22

revisions
1 06/02/23 AGENCY/QC REVIEW
2 07/06/23 TENANT



ENLARGED PLANS

sheet number

A203